

# **ALLEN&HEATH**

## **Parts identification sheet**


# MPS12

## MPS12


### **How to order parts**

Parts must be ordered from our distributor in your territory. A list of international distributors can be viewed at <http://www.allen-heath.com/UK/distributors.asp>

UK parts must be ordered through an appointed A&H dealer or service centre. A list of UK service centres can be viewed at [http://www.allen-heath.com/UK/service\\_centres.asp](http://www.allen-heath.com/UK/service_centres.asp)




## DC LEAD (CABLE)



Cable type AH2721. Length 2.9 metre.

## PSU DC LEAD - EXTERNAL PLUG (AL5687) CONFIGURATION. FRONT VIEW OF DC PLUG



Pin1	Brown wire	(+15V)
Pin2	Blue wire	(-15V)
Pin3	Black wire	(+10V)
Pin4	Green/Yellow wire	(+48v)
Pin5	Screening	(0V)

## PSU DC LEAD – MPS12 FREE END CONNECTION.

Brown wire to be soldered to P5 (+15v)  
Blue wire to be soldered to P6 (-15v)  
Black wire to be soldered to P7 (LAMP)  
Green/Yellow wire to be soldered to P4 (+48v)  
Screen braid to be soldered to P13 (Ext SCR N)